



**Megazyme**  
by **NEOGEN**

## **Diagnostic Solutions**

For Enzyme Manufacturers

# Diagnostic Products

## for Enzyme Manufacturers

### A Growing Industry

The importance of enzymes in industrial processes and scientific research is constantly growing. Measurement of enzyme activity is vital for the effective use and characterisation of enzyme preparations, as well as the development of new enzymes that showcase enhanced properties.

### Our Solutions

Our Megazyme® range of assay kits, convenient tablet tests and carbohydrate substrates supports a broad range of customer needs and applications including:

- Research & Development
- Product Development & Formulation
- Quality Control
- New Enzyme Discovery
- Process Development & Optimization

Coupled with our exceptional technical support, in-house manufacturing, and value-added service, we are a partner who can support you every step of the way.



### Why Choose our Megazyme Range?

#### Fast, Accurate and Reliable Results

- Experienced with **over 30** years of analytical method innovation
- Excellent in-house **technical support**
- **Ultra-pure** enzymes
- **Validated methods**
- **Extensive** range of diagnostic products for a diverse range of analytical needs


# A Complete Solution for Enzymatic Analysis

Our Megazyme range offers outstanding expertise with excellent solutions for measuring and analysing enzymatic activity. All our products can be used to measure purified enzymes and many products can also be used to measure specific enzyme activities in complex matrices such as food products, animal feed, and raw materials for food preparations, where multiple enzymes can be present together.


**We offer a wide range of solutions for the following analytes:**

- *endo*-Xylanase
- $\beta$ -Glucanase & *endo*-Cellulase
- $\alpha$ -Amylase
- $\beta$ -Amylase & Maltogenic  $\alpha$ -amylase
- Pullulanases & Limit Dextrinase
- *endo*-Mannanase
- *endo*-Arabinanase
- *endo*-Galactanase
- Protease
- Phytase
- Amyloglucosidase
- Catalase
- Dextranase
- Glucose oxidase

To learn more about our other enzymatic activities please contact us at [contactemea@neogen.com](mailto:contactemea@neogen.com).



# Our Diverse Range



We offer a variety of products to measure key enzymatic activities. Offering fast, accurate and reliable results, our diverse range of enzymatic substrates can be classified into three categories:


- Dyed Substrates and Tablet Tests
- Assay Kits and Reagents
- Carbohydrate Substrates

## Dyed Substrates

Dyed substrates comprise polysaccharides or proteins that contain covalently attached dye components. They are supplied either in powder, liquid or tablet form. As enzymes are assayed, they release dyed fragments, proportional to their enzymatic activity, which can then be calculated using a standard curve provided.

### Advantages of our dyed substrates:

- Sensitive and easy to use
- Accurate, reliable and robust analysis




**Figure1:** Dyed substrates are incubated with enzymes which will hydrolyse them into dyed fragments that can be measured using a UV spectrophotometer. The difference in absorbance against a blank is proportional to the enzyme activity.

# Assay Kits and Reagents

The analysis of enzyme activities using our assay kits and reagents is based on solution-based enzyme-coupled assay protocols. The substrate, ancillary enzymes and a control standard are provided in our range of assay kits.

## Advantages of our assay kits and reagents:

- Sensitive and selective allowing assay flexibility.
- High reproducibility.
- Kits are compatible with auto-analyser assays for high-throughput screening.




**Figure 2:** Kits and reagents contain soluble enzyme substrates, that when, reacting with an enzyme either release a dye molecule or a UV-detectable molecule from an enzyme-coupled reaction. These can be detected using a UV spectrophotometer. The difference in absorbance against a blank is proportional to the enzyme activity.

# Carbohydrate Substrates

Our diverse range of well-characterised polysaccharides can be used for the assay of carbohydrate-active enzyme activities via reducing sugar assays or by using a viscometer. In addition, our range of ultra-pure oligosaccharides can be used for the assay of enzyme activities using chromatography techniques.

## Advantages of carbohydrate substrates:

- Activity measurements on native polysaccharides are highly relevant to “real-world” applications



**Figure 3:** Carbohydrate substrates are incubated with enzymes which will hydrolyse them into smaller fragments that can be detected using viscosimetry, chemistry methods or chromatography.

# Commonly used **Megazyme** Products in Enzyme Manufacturing

Enzyme Activity	Dyed Substrates and Tablets	Assay Kits and Reagents	Carbohydrate Substrates
<i>endo</i> -Xylanase	<a href="#"><u>T-XAX</u></a> <a href="#"><u>T-XYZ</u></a>	<a href="#"><u>K-XylX6</u></a>	<a href="#"><u>P-WAXYM</u></a> <a href="#"><u>P-XYLNBE</u></a>
$\beta$ -Glucanase & <i>endo</i> -Cellulase	<a href="#"><u>T-CTZ</u></a> <a href="#"><u>T-CCZ</u></a> <a href="#"><u>T-BGZ</u></a>	<a href="#"><u>K-CellG5</u></a> <a href="#"><u>K-MBG4</u></a>	<a href="#"><u>P-BGBM</u></a>
$\alpha$ -Amylase	<a href="#"><u>T-AMZ</u></a> <a href="#"><u>S-RSTAR</u></a>	<a href="#"><u>K-CERA</u></a> <a href="#"><u>K-AMYLS</u></a> <a href="#"><u>R-CAAR4</u></a> <a href="#"><u>R-AMHR4</u></a>	<a href="#"><u>P-BLDX</u></a>
$\beta$ -Amylase & Maltogenic $\alpha$ -amylase	-	<a href="#"><u>K-BETA3</u></a> <a href="#"><u>R-BAMR3</u></a>	<a href="#"><u>O-MAL3</u></a>
Pullulanase & Limit Dextrinase	<a href="#"><u>T-LDZ</u></a> <a href="#"><u>S-RPUL</u></a>	<a href="#"><u>K-PullG6</u></a>	-
<i>endo</i> -Mannanase	<a href="#"><u>T-MNZ</u></a>	-	<a href="#"><u>P-GALML</u></a>
Protease	<a href="#"><u>T-PRAK</u></a> <a href="#"><u>S-AZCAS</u></a>	-	-
Phytase	-	<a href="#"><u>K-PHYTASE</u></a>	-
Amyloglucosidase	-	<a href="#"><u>R-AMGR3</u></a>	-
Catalase	-	<a href="#"><u>K-CATAL</u></a>	-
Glucose oxidase	-	<a href="#"><u>K-GLOX</u></a>	-
Dextranase	<a href="#"><u>T-DEXT</u></a>	-	-
<i>endo</i> -Arabinanase	<a href="#"><u>T-ARZ</u></a>	-	<a href="#"><u>P-ARAB</u></a>
<i>endo</i> -Galactanase	<a href="#"><u>T-GLZ</u></a>	-	-



Learn more at  
[neogen.com](https://neogen.com)  
Scan Here



**Megazyme**<sup>®</sup>  
by **NEOGEN**<sup>®</sup>